

IKO route Adhesive

Description:

Cold applied and quick-curing 2-component glue based on PMMA (polymethylmetacrylate).

Use:

IKO route Adhesive is used to glue different elements on the road surface.

Characteristics:

- Elastic
- UV resistant
- Excellent adhesion
- Cold applied
- Quick curing
- High resistance to fuels
- Color: black

Cleaning tools and stains:

IKO metatech Cleaner



Implementation:

On asphalt:

- On a clean and dry surface use IKO metatech Bitumen Primer.
- Mix IKO route Adhesive with a mechanical mixer for 30 seconds. Afterwards add the exact quantity of Perkadox (bag of 100 gr) and mix again for 1 minute. The product is ready to use.

On concrete:

- On a clean and dry surface use IKO metatech Porous Primer.
- It's advised to coat the base of the elements with IKO metatech Porous Primer and to broadcast it with fine quartzsand to improve the adhesion.
- Mix IKO route Adhesive with a mechanical mixer for 30 seconds. Afterwards add the exact quantity of Perkadox (bag of 100 gr) and mix again for 1 minute. The product is ready to use.

POT-LIFE:

- +/- 10 minutes at 20°C

CURING TIME:

- +/- 30 minutes at 20 °C

Storage:

12 months in hermetically sealed packaging, if stored in a coll and frost-free place.

Sizing and palletization:

- IKO route Adhesive: metal tin of 5 kg (item number 02100810)
- IKO perkadox: 100g plastic bag (item number 00095110)
- IKO route Adhesive is delivered without IKO perkadox.

The technical information regarding the application of liquid waterproofing products supplied by IKO is provided in good faith on the basis of IKO's current know-how and experience, and assumes that these products will be used in accordance with the above-mentioned recommendations, under normal circumstances, and that these products were stored and handled in the correct manner. The above-mentioned information is only intended to inform the user about the various properties and/or recommendations. and can in no way be considered as a guarantee with regard to the merchantability and suitability for a specific purpose in view of the continuously changing environmental factors, including the specific conditions at the building site, the use of different materials and substrates, etc. As a result, and with the exception of binding legal stipulations to the contrary, IKO cannot be held liable on the basis of the provided information, and any other written recommendations and/or advice. Please contact IKO if you have any doubts regarding the processing, the end use or the application of these products. Users are recommended to consult the most recent



edition of the technical data sheet. A copy of this will be provided upon request, or can be obtained from <https://eu.iko.com>.