

IKO dilatation Fleece

Characteristics:

- Elastic joint tape consisting of:
 - TPE central section:
 - 70 mm wide
 - 25 mm thick
 - Polyester fleece to which the TPE is bonded at the edges
- ISO9001

Use:

IKO dilatation Fleece is used as debonding tissue when applying the liquid waterproofing system IKO tanetech Balcony and IKO metatech Balcony over structural dilatation and movement joints.

Sizing and palletization:

10m x 0,12m roll (item number 00015202)

Storage:

Unlimited in the hermetically sealed packaging, when stored in a dry, cool and frost-free place.



Technical characteristics:

Total width	120mm
Breaking load longitudinal	68N/ 15mm
Breaking load lateral	43N/ 15mm
% elongation longitudinal	26%
% elongation lateral	120%
Resistance to water pressure	> 1,5 bar

The technical information regarding the application of liquid waterproofing products supplied by IKO is provided in good faith on the basis of IKO's current know-how and experience, and assumes that these products will be used in accordance with the above-mentioned recommendations, under normal circumstances, and that these products were stored and handled in the correct manner. The above-mentioned information is only intended to inform the user about the various properties and/or recommendations, and can in no way be considered as a guarantee with regard to the merchantability and suitability for a specific purpose in view of the continuously changing environmental factors, including the specific conditions at the building site, the use of different materials and substrates, etc. As a result, and with the exception of binding legal stipulations to the contrary, IKO cannot be held liable on the basis of the provided information, and any other written recommendations and/or advice. Please contact IKO if you have any doubts regarding the processing, the end use or the application of these products. Users are recommended to consult the most recent edition of the technical data sheet. A copy of this will be provided upon request, or can be obtained from <https://eu.iko.com>.